BOMANN®

Home Appliances 2023



www.bomann-germany.de



EVERYTHING ABOUT THE KITCHEN

Automatic juicer31
Beer dispenser 32
Built-in microwaves with grill 45
Citrus juicer31
Coffee grinder06
Coffee machines04
Contact grill38
Crêpe maker
Egg boiler19
Food slicer
Fondue set34
Fondue deep fat pan 34
Fryers35
Hand blender 20
Hand blender set21
Hand mixer22
Hotplates47
Ice cube maker18
Kettle
Kitchen scales33
Kneading machines 23
Microwaves43
Milk frother07
Mincer
Mini kitchen43
Multi chopper22
Multi grill17
Multi oven42
Multi pizza oven42
Pepper/salt mill19
Raclette grills38
Sandwich toaster16



Toaster10
Universal mixer30
Waffle maker
TEYTH E CARE

TEXTILE CARE

Sewing machine5	3
Steam ironing station5	2
Steam irons 4	8

FLOOR CARE

Battery- & floor vacuum cleaner5
Battery vacuum cleaner5
Hand vacuum cleaner 5
Shampoo vacuum cleaner 6
Wet/dry vacuum cleaner5

PERSONAL CARE

Bathroom scale6	5
Foot massager6	5
Hair and beard trimmer	52
Hair dryer6	5
Hot air curling brush6	52



INDOOR CLIMATE COOL / HEAT

Air conditioning units65
Cool boxes
Fan heater
Inverter split air-conditioner 66
Table fans
SEASONAL PRODUCTS

Barbecue standing grill	39
Barbecue table grill	40
Doner vertikal multigrill	41

ACCESSORIES

																																		_	_
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	7	4













Coffee machine KA 183 CB

- For 12–14 cups of coffee (approx. 1.5 litres)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Heating plate with automatic switch-off
- Water level indicator
- Cord storage
- 230 V, 50 Hz, 900 W
- WxHxD approx. 190 x 330 x 205 mm

Coffee machine KA 1369 CB


- For 12–14 cups of coffee (approx. 1.5 litres)
- High-quality stainless steel application
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light (blue illuminated)
- Heating plate with automatic switch-off
- Water level indicator
- **220–240 V, 50/60 Hz, 900 W**
- WxHxD approx. 180 x 325 x 260 cm















Thermo coffee machine KA 168 CB

- For 8–10 cups of coffee (approx. 1 litre)
- Thermo jug (double-walled)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic switch-off
- Water level indicator
- 220-240 V, 50/60 Hz, 870 W max.
- WxHxD approx. 185 x 340 x 210 mm

Thermo coffee machine KA 6066 CB

- For 8–10 cups of coffee (approx. 1.2 litres)
- Stainless steel thermo jug (double-walled) with flavour seal – no temperature loss
- Stainless steel front
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic switch-off
- Water level indicator
- 220-240 V, 50/60 Hz, 800 W
- WxHxD approx. 226 x 327 x 183 mm



Double-walled stainless steel thermo jug with flavour seal - no temperature loss

Art. no. 601 682 EAN 4 004 470 016 819 Art. no. 601 680

PU 6 4 004 470 016 802 PU 6







Art. no. 660 661 4 004 470 606 614





.....





Electric coffee grinder KSW 445 CB

- Electric coffee grinder with beater
- Stainless steel housing
- Stainless steel beater blade
- Stainless steel bean container (aroma protection and hygienic)
- Transparent lid
- Capacity for approx. 40 g beans (20 cups of coffee)
- Powerful 120 watt motor
- Safety circuit operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 220–240 V, 50–60 Hz, 120 W
- WxHxD approx. 100 x 200 x 100 mm



Electric coffee grinder KSW 446 CB

- Electric coffee grinder with beater
- Stainless steel beater blade
- Stainless steel bean container (aroma protection and hygienic)
- Transparent lid
- Capacity for approx. 40 g beans (20 cups of coffee)
- Powerful 120 watt motor
- Safety circuit operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 220-240 V, 50-60 Hz, 120 W
- WxHxD approx. 100 x 200 x 100 mm











Milk frother MS 344 CB

- Creates foamy milk in seconds
- Soft touch housing
- Stainless steel whisk
- Easy to clean
- Battery operation: 2x 1,5 V (AA/UM3) (batteries not included)
- WxHxD approx. 47 x 225 x 32 mm

Travel kettle WKR 1162 CB


- Ideal when travelling and on the move
- Max. capacity 0.5 litre
- Stainless steel housing
- Incl. 2 cups each 170 ml, travel/transport bag and spoon
- On/off switch
- Concealed stainless steel heating element
- Control lamp
- Automatic switch-off
- Evaporation/overheating protection
- 110/230 V, 50 Hz, 1000 W
- WxHxD approx. 165 x 175 x 110 mm







Art. no. 611 621



(€









- Compact kettle, also ideal for travel and single households
- Capacity up to 1.0 litre

Kettle

WK 5024 CB

- Simple handling due to cable-free technology easy to pour in and out
- Safety hinged lid with one-hand operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic and manual switch-off
- 2 external water level indicators
- Non-slip soft touch handle
- Incl. base station
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 750-900 W
- WxHxD approx. 185 x 220 x 115 mm

Kettle WK 5011 CB

- Capacity up to 1.7 litres
- Simple handling due to cable-free technology easy to pour in and out
- Safety hinged lid with one-hand operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic and manual switch-off
- 2 external water level indicators
- Non-slip soft touch handle
- Base station with cord storage
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 1850-2200 W
- WxHxD approx. 220 x 255 x 140 mm




Compact kettle, also ideal for travel and









Art. no. 650 110





PU 6














Kettle WKS 3002 CB

- Capacity up to 1.5 litres
- Stainless steel housing
- Simple handling due to cable-free technology easy to pour in and out
- 360° connector
- Safety hinged lid with one-hand operation
- On/off switch (blue illuminated)
- BPA free
- Concealed stainless steel heating element
- Automatic and manual switch-off
- Base station with cord storage
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 1850-2200 W
- WxHxD approx. 230 x 233 x 142 mm

Glass kettle WKS 6032 G CB

- Capacity up to 1.7 litres
- Glass/stainless steel housing
- Water container made of heat-resistant safety glass
- Simple handling due to cable-free technology easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- On/off switch
- BPA free
- Concealed stainless steel heating element
- Automatic and manual switch-off
- Water level indicator
- Base station with cord storage (stainless steel sheathed)
- Evaporation/overheating protection
- 220-240 V, 50/60 Hz, 1850-2200 W
- WxHxD approx. 220 x 245 x 160 mm




PU 6

PU 6



Art. no. 660 321





4 004 470 300 215

TA 6065 CB

- Compact 2-slice toaster
- Also suitable for trendy toast rolls and tasty ready-made waffles
- Cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 indicator lights (blue illuminated)
- Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 650-750 W max.
- WxHxD approx. 131 x 171 x 235 mm



Also suitable for trendy



Also suitable for tasty ready-made waffles

PU 6



Defrost/reheat/quick-stop



Top / enjoy toast according to your wishes

Art. no. 660 652 EAN 4 004 470 606 522

Art. no. 660 651 EAN 4 004 470 606 515







BOMANN®



Toaster TA 246 CB

- Compact 2-slice toaster
- Cool touch housing
- Bread roll attachment (integrated)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 2 indicator lights
- Automatic and manual switch-off
- Crumb drawer
- Base station with cord storage
- 220-240 V, 50/60 Hz, 600-700 W
- WxHxD approx. 285 x 240 x 165 mm

Toaster TA 1577 CB

- Compact 2-slice toaster
- Cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 indicator lights (blue illuminated) Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 870 W max.
- WxHxD approx. 260 x 170 x 145 mm



Integrated bread roll attachment

Art. no. 602 460 EAN 4 004 470 024 609

PU 6

Art. no. 602 464 4 004 470 024 647

PU₆



Art. no. 615 770



11







Toaster TA 1371 CB

12

- 2-slice toaster
- Stainless steel housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function (blue illuminated)
- Continuously adjustable browning level
- Centring function
- Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 750-850 W
- WxHxD approx. 270 x 180 x 150 mm

Toaster TA 245 CB

- 4-slice long-slot toaster
- Heat-insulated cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 LED indicator lights
- Automatic switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 375 x 175 x 165 mm





Also suitable for trendy toast rolls



Also suitable for tasty ready-made waffles



4 004 470 137 118

Defrost/reheat/ quick-stop function

Art. no. 613 711





Top / enjoy toast according to your wishes















Toaster TA 6070 CB

- 4-slice long-slot toaster
- Also suitable for trendy toast rolls and tasty ready-made waffles
- Heat-insulated cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 LED indicator lights
- Automatic switch-off
- Crumb drawer
- Cord storage
- Secure stand thanks to non-slip feet
- **220–240 V, 50/60 Hz, 1200–1400 W**
- WxHxD approx. 380 x 175 x 155 mm



Also suitable for trendy




Also suitable for tasty ready-made waffles



Defrost/reheat/quick-stop



Top / enjoy toast according to your wishes



4 004 470 607 017












Waffle maker WA 5018 CB

- Large baking surfaces: approx. Ø 18 cm (non-stick coated)
- Preparation in a few minutes
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 205 x 115 x 250 mm

Waffle maker WA 1365 CB

- Stainless steel insert
- Large baking surfaces: approx. Ø 18 cm (non-stick coated)
- Preparation in a few minutes
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Overheating protection
- **220–240 V, 50/60 Hz, 1000 W**
- WxHxD approx. 200 x 100 x 260 mm





Art. no. 650 181 4 004 470 501 810

PU₆





















Crêpe maker CM 2221 CB

- Large baking surface: approx. Ø 29 cm (non-stick coated)
- Paper-thin crêpes, quickly and easily prepared
- Also suitable for making tortillas, wraps, enchiladas, tacos and much more
- Heat-insulated plastic base
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- Base station with cord storage
- Incl. batter distributor
- 220–240 V, 50/60 Hz, 900 W
- WxHxD approx. 325 x 80 x 370 mm





Incl. batter distributor



Art. no. 622 211 EAN 4 004 470 222 111

l11 l







Sandwich toaster ST 5016 CB

- Triangular sandwich plates
- Non-stick coating
- Heat-insulated handle
- Automatic temperature controller
- 2 indicator lights for power and heating (baking lights)
- Locking system
- Safety shutdown
- Overheating protection
- 220-240 V, 50/60 Hz, 750 W
- WxHxD approx. 230 x 80 x 230 mm

Sandwich toaster ST 1372 CB

- Stainless steel insert
- Triangular sandwich plates
- Non-stick coating
- Heat-insulated handle
- Automatic temperature controller
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Locking system
- Overheating protection
- 220-240 V, 50/60 Hz, 750 W
- WxHxD approx. 235 x 95 x 235 mm



Stainless steel inser



Art. no. 650 160 EAN 4 004 470 501 605 PU 6







Art. no. 613 721

EAN 4 004 470 637 359

















Multi grill ST/WA 1364 CB

- Sandwich toaster, waffle maker and contact grill
- Versatile use by three different removable plates (sandwich/waffle/grill plates), e.g. for Belgian waffles and tasty sandwich variations, as well as for fast double-sided contact grilling
- Stainless steel insert
- Baking plates non-stick coated and changeable
- Heat-insulated handle
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Locking system
- Overheating protection
- **230 V, 50/60 Hz, 650 W**
- WxHxD approx. 230 x 100 x 225 mm

Multi grill MG 2251 CB

- Multi grill for double-sided, fat-free grilling
- 700 watt
- Stainless steel housing
- Short cooking times
- Non-stick coated grill plates with extra deep grooves for strong grill pattern
- Heat-insulated handle
- Indicator light
- Grill surfaces: 23 x 14.5 cm
- Cord storage
- Versatile use for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 270 x 95 x 230 mm



Stainless steel insert











Stainless steel housing

























- Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- Ideal for camping, office, kitchen or house bar
- No additional water pipe required (directly ready for operation)
- Integrated water tank (1.1 litres)
- Ice cubes already after 10 minutes
- Approx. 8–12 kg ice cubes in 24 hours
- 2 ice cube sizes selectable (small/large)
- LED indicator for full ice cube tray or empty water tank
- ECO Save energy-saving mode automatic switch-off when the container is full
- Cleaning program hygienic rinsing system with clean water
- Electronic control with 4 indicator lights
- Visual check through viewing window in the lid
- Low-noise
- Accessories: Ice scoop
- 220-240 V, 50 Hz, 120 W
- WxHxD approx. 205 x 265 x 282 mm



cubes when required



Ice cubes already after 10 minutes



.....

LED display / indicator lights



Art. no. 660 681

N 4 004 470 606 812













Egg boiler EK 5022 CB

- Preparation of up to 6 eggs
- Heating dish (non-stick coated)
- On/off switch (illuminated)
- Acoustic signal (buzzer)
- Removable egg holder
- Incl. measuring cup with egg pricker
- **230 V, 50 Hz, 400 W**
- WxHxD approx. 220 x 130 x 135 mm

Electric pepper/salt mill PSM 437 CB N

- High-quality precision ceramic grinder
- Stainless steel housing
- Adjustable ceramic grinder (from coarse to fine)
- Consistent grinding quality
- Simple refilling
- One-hand operation
- Incl. light for optimum dosing of the condiment
- Battery-operated
- Battery operation: 4x 1,5 V AA/Mignon/LR/AM3 (batteries not included)
- Wx Hx D approx. 45 x 220 x 45 mm





Art. no. 650 220

4 004 470 616 866















Metal food slicer MA 451 CB

- Big stainless steel blade (Ø 190 mm), rustproof
- Universal serrated blade
- Motor housing: aluminium die cast
- On/off switch
- Metal guiding rail
- Metallic guiding board
- Food grip with finger protection
- Continuously adjustable cutting thickness (0–15 mm)
- Tilted supporting table with stainless steel insert, tiltable for easy cleaning
- Secure stand due to suction feet
- 220–240 V, 50/60 Hz, 150 W
- WxHxD approx. 365 x 235 x 265 mm

Hand blender SM 384 CB

- Stainless steel cutting blade (rustproof)
- On/off switch (countersunk)
- Powerful 180 watt motor
- Incl. transparent mixing container (500 ml)
- Hanging loop
- 220–240 V, 50 Hz, 180 W
- WxHxD approx. 80 x 330 x 80 mm



4 004 470 045 109

PU 2







BOMANN®







- Soft touch housing
- Stainless steel insert
- 2-level push-button switch
- High-performance 800 watt motor
- Stainless steel cutting blade
- Removable stainless steel mixing rod
- Ergonomically shaped handle
- Hanging loop
- 220-240 V, 50-60 Hz, 800 W
- WxHxD approx. 65 x 370 x 65 mm









- 3 in 1 hand blender set:
 - Stainless steel hand blender (removable)
 - Multi chopper with stainless steel blade and working container with scale (0,5 litre)
 - Stainless steel whisk (removable)
- Silent DC motor (400 watt)
- 2 speed levels
- Ergonomically shaped rubberized handle for easier handling
- Holder for hand blender and whisk
- Incl. mixing container with scale (0.7 litre)
- Hanging loop
- 220-240 V, 50-60 Hz, 400 W
- Wx Hx D approx. 160 x 370 x 150 mm





Art. no. 660 281

4 004 470 602 814



Art. no. 660 551



21





22

Multi chopper & ice crusher







Multi chopper MZ 449 CB

- 2 in 1 Multi chopper and ice crusher in one
- Mixing container (1 litre capacity)
- Removable stainless steel chopping blade (rustproof)
- Incl. ice crush function
- Secure stand
- Easy to clean
- 220-240 V, 50-60 Hz, 250 W
- WxHxD approx. 175 x 220 x 175 mm

- Powerful 400 watt motor
- 5 speed levels
- Turbo setting
- Eject button
- Stainless steel whisks and dough hooks
- All accessories are dishwasher-safe
- 220-240 V, 50 Hz, 400 W
- WxHxD approx. 190 x 150 x 80 mm



Art. no. 660 541



Kneading machine KM 6010 CB


- High-performance kneading machine with powerful 1100 watt
- Variable electronic speed control
- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220–240 V, 50 Hz, 1100 W
- WxHxD approx. 350 x 320 x 210 mm












AN 4 004 470 601 015

PU 1

1











Kneading machine KM 6030 CB


- High-performance kneading machine with powerful 1100 watt
- Variable electronic speed control
- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1100 W
- WxHxD approx. 350 x 320 x 210 mm












N 4 004 470 603 002

PU 1

Art. no. 660 301 EAN 4 004 470 603 019





4||004470||603036

EAN 400447





Kneading machine KM 6009 CB

- High-performance kneading machine with powerful 1000 watt
- Variable electronic speed control + pulse function
- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Rotary switch (blue illuminated)
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220–240 V, 50 Hz, 1000 W
- WxHxD approx. 366 x 299 x 215 mm







4 004470 600919





Rotary switch (blue illuminated)















Kneading machine KM 398 CB

26

- High-performance kneading machine with extra-powerful 1200 watt
- 8 speed levels (0/1/2/3/4/5/6 + pulse function)
- 6.3 litres stainless steel bowl for max. 3–3.5 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 402 x 326 x 212 mm













Art. no. 603 986

4 004 470 039 863







Kneading machine KM 6036 CB

- Robust kneading machine with resistant metal gear
- 8 speed levels (0/1/2/3/4/5/6 + pulse)
- Extra-large 10 litres stainless steel bowl for max. 6–6.5 kg dough preparation
- High-performance long-life professional motor (1500 watt)
- Consistent performance due to load-dependent electronic rotation speed control
- Aluminium die-cast kneading hooks for heavy dough like yeast dough, bread dough or pasta dough
- Aluminium die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- Stainless steel whisk for whipping of egg white, cream, meringue and many others
- 35° swivelling multi-purpose arm
- Unlocking mechanism for multipurpose arm
- Safety circuit machine stops when lifting the arm
- Rotary switch (white illuminated)
- High-quality chrome application
- Transparent splash guard lid with refill opening
- Soft start for slow mixing
- Easy to operate and to clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 413 x 387 x 268 mm












Rotary switch (white illuminated)

















Kneading machine KM 1395 CB

1200 Watt

- High-performance kneading machine with extra-powerful 1200 watt
- Electronic timer function / LCD display (blue illuminated)
- Consistent performance due to load-dependent electronic rotation speed control
- 12 speed levels (0/1/23/4/5/6/7/8/9/10) + pulse function)
- Soft start for slow mixing
- 6.2 litres stainless steel bowl for max. 3–3.5 kg dough preparation
- Glass mixing container with scale and refill opening (1.5 litres)
- Aluminium die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- Aluminium die-cast dough hook for heavy dough like yeast dough, bread dough or pasta dough
- Stainless steel whisk for whipping of egg white, cream, meringue and many others
- Sturdy special gear
- 35° swivelling multifunction arm with unlocking mechanism
- Transparent splash protection lid with refill opening (removable)
- Safety circuit machine stops when lifting the arm
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools

Stainless steel cutter, metal neck, metal feed screw, metal refill tray, 3 stainless steel mincing disks, pastry attachment, sausage filler accessory, kebbe attachment

Pasta function

- Make pasta yourself with 3 different attachments for spaghetti, macaroni, tagliatelle
- 220-240 V, 50/60 Hz, 1200 W Wx Hx D approx. 421 x 336 x 293 mm











Accessories: 3 different pasta attachments, stainless steel cutter, metal feed screw, 3 stainless steel mincing disks, metall refill tray, pastry attachment, sausage filler accessory, kebbe attachment







Glass mixing container with scale and refill opening



4 004 470 139 518















Create your personal taste experience from your ingredients



- Forward and reverse function
- Fast processing of large quantities
- Preparing mince (tartar) from meat and fish, as well as kebbe and sausage possible
- Refill tray (rotatable)
- Metal neck
- Metal snail
- 3 metal mincing disks (Ø approx. 5.5 cm) for fine, normal and coarse handling
 - 3 mm (fine)
 - 5 mm (normal)
 - 7 mm (coarse)
- 4-bladed stainless steel knife
- Kebbe attachment for the oriental cuisine
- Biscuit/cookies attachment
- Sausage filler accessory
- On/off switch
- Secure stand due to suction feet
- Carrying handle
- 220-240 V, 50/60 Hz, 1000 W max.
- WxHxD approx. 303 x 295 x 137 mm



Incl. 3 metal mincing disks



Incl. biscuit/cookies attachment




Incl. kebbe attachment for the oriental cuisine


.....



Incl. sausage filler accessory















Universal mixer UM 378 CB

- Universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Ice crush function
- Powerful 500 watt motor max.
- 6 speed levels (0/1/2/3/4 + pulse/turbo function)
- Removable mixing container (1.5 litres)
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring cup (2 cl)
- Stainless steel blade (rustproof)
- Safety circuit operation only possible with attached container
- Secure stand due to rubberized feet
- 220-240 V, 50/60 Hz, 500 W max.
- WxHxD approx. 160 x 400 x 160 mm

Universal mixer UM 1374 CB

- Stainless steel universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Stainless steel housing
- Ice crush function
- Powerful 650 watt motor
- 6 speed levels (0/1/2/3/4 + pulse function)
- Removable mixing container made of solid glass with scale (1.5 litres)
- BPA free
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring cup (6.5 cl)
- 4-fold stainless steel blade with "piranha" cut for easy mixing (rustproof)
- Safety circuit operation only possible with attached container
- Secure stand due to rubberized feet
- 220-240 V, 50/60 Hz, 650 W
- WxHxD approx. 177 x 400 x 175 mm




Art. no. 603 780

N 4 004 470 037 807

PU 4











Citrus juicer ZP 1092 CB

- Removable juice container with aroma protective cover (1.2 litres)
- 2 press cones
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anticlockwise operation for optimal juice extraction
- Practical cord storage
- 230 V, 50 Hz, 40 W
- WxHxD approx. 180 x 230 x 180 mm

Professional automatic juicer AE 1917 CB

- Professional automatic juicer in high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30 % more juice and vitamins
- Extra large filler spout (75 mm Ø)
- Extracts the juice from apples, carrots and other fruits within seconds without having to chop them
- Powerful 1000 watt motor max.
- 3 speed levels (0/1/2) for different fruit hardness
- High volume pulp container (approx. 2.0 litres)
- Open stainless steel juice spout
- Flexible anti-drip juice spout no splashes and no wiping
- Lock with safety switch
- Stainless steel sieve for finest juices
- Can be completely disassembled quick and easy cleaning
- Secure stand due to rubberized suction pads
- 220-240 V, 50/60 Hz, 1000 W max.
- Wx Hx D approx. 300 x 400 x 220 mm



Extra large filler spout



Drip-stop - no splashes and no wiping



Art. no. 610 920

4 004 470 109 207











LED display with digital temperature display

Beer dispenser BZ 6029 CB

- Stainless steel beer dispenser with CO₂-pressure cartridge system (for all standard 5 litres kegs)
- High-performance and pleasant alternative to annoying shifting of crates
- Ideal for private use e.g. small parties in the basement or garden/terrace
- Suitable for all standard 5 litres kegs as well as 5 litres "Heineken" kegs (with integrated CO₂)
- Continuously adjustable pressure for the correct amount of foam enjoy beer like in a tavern
- LED display for comfortable temperature control / refrigeration from 2°C–12°C
- Easy installation of kegs ready to use within a few minutes
- Stainless steel removable drainage grille and drip pan removable for easy cleaning
- User-friendly and easy to clean
- Accessories: 3 CO₂ cartridges, cleaning kit, tap tool, adapter for barrels of the "Heineken" brand, universal adapter
- 220–240 V, 50 Hz, 65 W
- WxHxD approx. 275 x 475 x 495 mm



Continuously adjustable pressure for the correct amount of foam – enjoy beer like in a tayern



Incl. 3 CO₂ cartridges



Suitable for all standard 5 litres kegs

.....



Art. no. 666 029

N 4 004 470 660 296







33

BOMANN[®]







Glass kitchen scale KW 1515 CB

- Extra-flat digital kitchen scale
- Weighing surface made of high-quality glass
- Clearly legible LCD display
- Measurement range up to 5000 g (in 1 g steps)
- Adjustable measuring units: g, lb-oz, ml, fl-oz
- Automatic shutdown increases battery life
- On/off switch
- Tare function (additive weighed function)
- Secure stand due to rubberized feet
- Low battery indication
- Battery operation: 1x CR 2032 (battery included) (Battery: 1x lithium, 2.80 g)
- WxHxD approx. 150 x 17 x 220 mm



Stainless steel kitchen scale KW 1421 CB

- Extra-flat digital kitchen scale with permanent clock and temperature information
- Stainless steel weighing surface
- Clearly legible, high-quality multifunction LCD display
- Measurement range up to 5000 g (in 1 g steps)
- Adjustable measuring units: kg, g, lb, oz
- Automatic shutdown increases battery life
- On/off switch
- Tare function (additive weighed function)
- Battery operation: 3x AAA (batteries included) (Batteries: 3x zinc-carbon, 7 g)
- WxHxD approx. 160 x 18 x 230 mm







- Stainless steel fondue pot, rustproof (Ø 18.5 cm)
- Filling capacity up to 1.2 litres max.
- Also ideal for chocolate & cheese fondue
- Fondue pot with encapsulated sandwich base for perfect heat distribution - also usable individually on different hobs (gas, electric, glass ceramic, halogen)
- Separate, stable hotplate made of stainless steel
- Continuously adjustable thermostat (illuminated)
- Overheating protection
- Thermal fuse
- Stainless steel splash protection with fork holder (removable)
- Accessories: 8 stainless steel fondue forks (colour marked)
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 285 x 180 x 185 mm

Fondue deep fat pan FFR 1290 CB

- Cool touch housing
- Capacity: 1 litre oil/frying fat
- Deep frying basket with removable handle
- Continuously adjustable thermostat
- Control panel with display
- 6 fondue forks (colour marked)
- Protective ring against spray/fork holder
- Changeable odour and fumes filter
- Overheating protection
- 220-240 V, 50/60 Hz, 840 W
- WxHxD approx. 190 x 240 x 190 mm





Chocolate fondue

Cheese fondue



Continuously adjustable thermostat (illuminated)






Art. no. 622 481

4 004 470 224 818















Deep fat fryer FR 6051 CB

- Cool touch housing
- Capacity: approx. 2.5 litres oil/frying fat
- Oil container (non-stick coated)
- Large frying basket
- Pop-up lid with viewing window (detachable)
- Continuously adjustable thermostat with indicator light (130 °C–190 °C)
- 2 indicator lights for temperature and operation
- Odour and fumes filter
- 2 carry/handle recesses
- 220-240 V, 50/60 Hz, 1800 W
- WxHxD approx. 300 x 215 x 300 mm


Stainless steel deep fat fryer FR 2264 CB

- Housing, lid and heating coil made of stainless steel
- Cold zone technology heating coil immersed directly in the oil for rapid heating and for odourless frying
- Capacity: 3 litres of oil/frying fat
- Continuously adjustable thermostat with indicator light
- Fat container enamelled (removable)
- Stainless steel heating coil (removable)
- Drip tray
- Carrying handles (heat-insulated)
- Cord storage
- Overheating protection
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 215 x 240 x 405 mm




Capacity: approx 2.5 litres





Drip tray

Cold zone technology

















Hot air fryer FR 6050 H CB

- Oil and fat free hot air fryer
- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: 1.8 litres
- Removable container (non-stick coated) with safety switch
- Continuously adjustable thermostat (80°C–200°C)
- 30 minutes timer with end signal
- Indicator light
- Overheating protection
- 220-240 V~, 50-60 Hz, 1000 W
- WxHxD approx. 220 x 390 x 270 mm

Hot air fryer FR 6057 H CB

- Oil and fat free hot air fryer
- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: 3.6 litres
- Non-stick coated container
- Practical carrying handle (foldable)
- Continuously adjustable thermostat (80°C-200°C)
- 30 minutes timer with end signal
- 2 indicator lights for temperature and operation
- Automatic switch-off
- Overheating protection
- 220-240 V, 50-60 Hz, 1350 W
- WxHxD approx. 265 x 305 x 300 mm



Oil and fat free frying by hot air circulation



Capacity: 1.8 litres



360° air flow: Oil and fat free frying by hot air circulation



Capacity: 3.6 litres



Practical carrying handle (foldable)




AN 4 004 470 605 013

PU 2













BOMANN®





- Oil and fat free hot air fryer
- Stainless steel front
- 8 automatic programs incl. individual time/temperature settings
- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: approx. 5.0 litres
- LED display with sensor touch operation
- Non-stick coated container
- Continuously adjustable thermostat (80°C–200°C)
- Automatic switch-off
- Overheating protection
- 220-240 V, 50/60 Hz, 1450 W
- WxHxD approx. 250 x 303 x 327 mm



360° air flow: Oil and fat free frying by Capacity: ca. 5.0 litres hot air circulation



.....




Art. no. 660 691

4 004 470 606 911











Contact grill KG 2242 ČB

38

- Contact grill for double-sided, fat-free grilling
- Fat drainage channel and collecting tray (tray removable for easy cleaning)
- 2000 watt
- Stainless steel housing
- Continuously adjustable thermostat
- Short cooking times
- Non-stick grill plates with extra deep grooves for strong grill pattern and smooth fat drainage
- Large, heat-insulated handle
- 2 indicator lights for power and heatingTemperature "ready" display
- Large grill area: approx. 29.5 x 23.5 cm
- Cord storage
- Versatile use for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 335 x 145 x 335 mm

Raclette grill **RG 6039 CB**

- Cool touch housing
- For grilling and browning
- Removable grill plate
- Grill plate and pans non-stick coated (easy to clean)

COOL TOUCH HOUSING

- 8 pans
- 8 wooden spatulas
- Continuously adjustable stainless steel thermostat
- Temperature "ready" display
- 2 indicator lights
- Grill area: approx. 42 x 21 cm
- Secure stand due to rubberized feet
- 220-240 V, 50-60 Hz, 1200-1400 W
- WxHxD approx. 420 x 120 x 210 mm



Stainless steel housing




8 wooden spatulas



4 004 470 224 214













Raclette grill RG 2279 CB

- Cool touch housing
- For grilling and browning
- Turning iron plate combination grill area for grilling fish (smooth surface) or meat (extra deep grooves for an intense grill pattern)
- Natural grill stone for low-fat, vitamin gentle preparation
- Total grill area: approx. 46 x 23 cm (2x approx. 23 x 23 cm)
- 8 pans
- 8 wooden spatulas
- Continuously adjustable thermostat (blue illuminated)
- Grill plate and pans non-stick coated (easy to clean)
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 465 x 150 x 235 mm

Barbecue standing grill BQS 2244 CB

- Standing grill in an attractive design with low smoke emission and low smell
- Continuously adjustable thermostat with indicator light
- Chromed grilling grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection (removable)
- Additional middle shelf
- $\,\blacksquare\,$ Can be converted to a table grill
- Grill height: approx. 80 cm
- Grill area: 35.5 x 24.5 cm
- **230 V, 50 Hz, 2000 W**
- WxHxD approx. 510 x 820 x 370 mm



Natural grill stone for low-fat, vitamin gentle preparation



Continuously adjustable thermostat (blue illuminated)





Combination grill area for grilling fish or meat (turning iron plate)



Can be converted to a table grill



AN 4 004 470 227 918

PU 2







EAN 4 004 470 224 412











COOL TOUCH HOUSING

Barbecue table grill BQ 2243 CB

- Table grill in an attractive design with low smoke emission and low smell
- Continuously adjustable thermostat with indicator light
- Chromed grilling grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection
- Grill area: 36 x 25 cm
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 510 x 145 x 370 mm



COOL TOUCH HOUSING

Barbecue table grill BQ 1240 N CB

- Table grill in an attractive design with low smoke emission and low smell
- Cool touch housing
- On/off switch with indicator light
- Removable grill and heating elements for easy cleaning
- Metal drip tray
- Grill area: 35.5 x 24.5 cm
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 480 x 100 x 360 mm



Art. no. 612 401



BOMANN®



Doner, chicken and shashlik grill





Doner vertical multigrill **DVG 3006 CB**

- Doner vertical multigrill for fat-free grilling of chickens, kebab/gyros or meat skewers
- Due to the vertical position, the escaping gravy drips directly into the stainless steel fat collecting tray
- Incl. 1 rotary spit (large) for chickens or kebab/gyros
- Incl. 6 separately rotating meat skewers (small)
- Incl. stainless steel tong
- On/off switch
- Indicator light
- 220–240 V, 50/60 Hz, 1400 W
- WxHxD approx. 255 x 350 x 255 mm









.....

6 separately rotating meat skewers (small)

Art. no. 630 061

EAN 4 004 470 300 611

1 rotary spit (large) for chickens or kebab/gyros





41







Convection

Pizza stone

Multi pizza oven

MPO 2246 CB

- Approx. 12 litres oven capacity
- Pizza oven ideal for grilling and crisping up
- Large grilling grid, perfect for pizza (26 x 25 cm)
- Including baking tray (23.5 x 22 cm)
- Top and bottom heat (combined operation possible)
- 4-level switches:
 - Top and bottom heat
 - Top heat
- Bottom heat
- Off
- 2 quartz heating elements
- 60 minutes timer with end signal
- Stainless steel handle
- Crumb tray
- Overheating protection
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 375 x 220 x 330 mm



Incl. baking tray (23.5 x 22 cm)

Multi oven MBG 6023 CB

- 30 litres oven capacity
- Convection
- Top and bottom heat (combined operation possible)
- Revolving spit
- Pizza stone (Ø 29 cm)
- 90 minutes timer with end signal
- 6-level switches:
 - Top and bottom heat
 - Top and bottom heat + convection
 - Top heat + convection
 - Top heat + revolving spit
 - Top and bottom heat + revolving spit + convection
 - Off
- Variable temperature control (100°C–230°C)
- Indicator light
- Double glazed door with stainless steel handle
- Removable crumb tray
- Incl. grilling grid, baking tray, revolving spit and pizza stone (Ø 29 cm)
- Incl. tongs for removing the grilling grid and baking tray, tool for removing the revolving spit
- Large viewing window
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 510 x 330 x 410 mm





Revolving spit

Pizza stone (Ø 29 cm)





N 4 004 470 224 610

PU 4

















- 3 in 1 Multi oven with 28 litres oven capacity
- 2 hotplates:
 - 1x Ø 18.5 cm, 1000 watt
 - 1x Ø 15.5 cm, 600 watt
- Powerful alternative to standard built-in ovens
- Stepless temperature control (100°C–230°C)
- Wide range of combination options:
 - Convection (can be switched on)
 - Top and/or bottom heat
 - Revolving spit for e.g. crispy grilled chickens
 - 2 hotplates (separately switchable)
- 3 indicator lights
- Double glazed door with cool touch handle
- Fat and crumb tray (removable)
- 3 insertion heights for optimum baking results
- Extensive accessories: grilling grid, baking tray, revolving spit, tongs for removing the grilling grid and baking tray, tool for removing the revolving spit, fat and crumb tray
- 220-240 V, 50/60 Hz, 3100 W max.
- WxHxD approx. 511 x 397 x 333 mm



3 in 1 Multi oven + 2 integrated hotplates




- 700 watt microwave
- 20 litres oven capacity
- 6 microwave power levels
- Rotating plate: Ø approx. 24.5 cm
- 30 minutes timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1150 W
- WxHxD approx. 450 x 255 x 340 mm



Multifunctional use - Meals just the way













PU 1





Stand alone & undercabinet mounting



Microwave with grill MWG 6015 CB

- 700 watt microwave
- 800 watt grill
- 20 litres oven capacity
- 5 microwave power levels
- 3 levels in combined operation (grill/microwave)
- 1 grill level
- Rotating plate: Ø approx. 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 30 minutes timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1150 W
- WxHxD approx. 450 x 255 x 340 mm

Microwave with grill MWG 2211 U CB

- Stainless steel front
- 800 watt microwave
- 1000 watt grill
- 20 litres oven capacity
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 1 grill level
- 8 automatic programs
- Defrost programs (selectable according to time and weight)
- Quick start function
- Rotating plate: Ø approx. 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 95 minutes timer with end signal
- Easy Tronic, digital clock, child lock
- Oven light
- Large viewing window
- Stand alone as well as under-cabinet mounting (incl. mounting material)
- **230 V, 50 Hz, 1250 W**
- WxHxD approx. 460 x 285 x 370 mm



Built-under appliance



Art. no. 660 152 4 004 470 601 527









Art. no. 622 111






Built-in microwave with grill MWG 2215 EB

Built-in microwave with grill/ convection MWG 2216 H EB

- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 800 watt microwave
- 1000 watt grill
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 1 grill level
- 8 automatic programs
- Defrost programs (selectable according to time and weight)
- 20 litres oven capacity
- Rotating plate: Ø approx, 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 95 minutes timer with end signal
- Start delay
- Child lock Oven light
- 230 V, 50 Hz, 1250 W
- Appliance (WxHxD): 465 x 359 x 339 mm Appliance with frame (WxHxD): 596 x 384 x 339 mm
- Weight: approx. 14 kg

- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 900 watt microwave
- 1100 watt grill
- 2500 watt convection
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 2 levels in combined operation (microwave/convection)
- 1 grill level
- 10 temperature settings for convection (130 °C-220 °C)
- 10 automatic programs
- 2 defrost programs
- Quick start function
- 25 litres oven capacity
- Rotating plate: Ø approx. 32.0 cm
- Grilling grid: Ø approx. 26.0 cm
- Start delay
- Child lock
- Oven light



■ 230 V, 50 Hz, 1450 W

- Appliance (WxHxD): 520 x 362 x 470 mm
- Appliance with frame (WxHxD): 595 x 460 x 470 mm
- Weight: approx. 21 kg Art. no. 622 161



EAN 4 004 470 221 510












Built-in microwave with grill/convection MWG 3001 H EB

- Built-in microwave in frameless design
- Stainless steel front, stainless steel interior
- LCD display / Digital clock
- 900 watt microwave
- 1300 watt grill
- 2200 watt convection
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 2 levels in combined operation (microwave/convection)
- 1 grill level
- 5 temperature settings for convection (100 °C-200 °C)
- 8 automatic programs
- Defrost program
- Quick start function
- 25 litres oven capacity
- Timer function with up to 24 h time delay
- Rotating plate: Ø approx. 27.0 cm
- Grilling grid: Ø approx. 22.2 cm
- 60 minutes timer with end signal
- Child lock
- Oven light



- 230 V, 50 Hz, 2200 W
- Appliance (WxHxD): 595 x 390 x 351 mm
- Weight: approx. 17 kg



Art. no. 630 011 4 004 470 300 116







BOMANN®



Stainless steel double DKP 5033 E CB hotplate

- Stainless steel housing
- 2 hotplates:
 - 1x Ø approx. 180 mm, 1500 watt
 - 1x Ø approx. 150 mm, 1000 watt
- 2 continuously adjustable thermostats
- 2 indicator lights
- Stainless steel surface easy to clean
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- **230 V, 50 Hz, 2500 W**
- WxHxD approx. 590 x 70 x 280 mm (with handles)

Single hotplate EKP 5027 CB

- Hotplate: Ø approx. 180 mm, 1500 watt
- Continuously adjustable thermostat
- Indicator light
- Heat-resistant finish
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- **230 V, 50 Hz, 1500 W**
- WxHxD approx. 360 x 70 x 285 mm

47









Double hotplate DKP 5028 CB

- 2 hotplates:
 - 1x Ø approx. 180 mm, 1500 watt
 - 1x Ø approx. 150 mm, 1000 watt
- 2 continuously adjustable thermostats
- 2 indicator lights
- Heat-resistant finish
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- 230 V, 50 Hz, 2500 W
- WxHxD approx. 570 x 70 x 285 mm

Steam iron DB 6003 CB

- Special stainless steel soleplate
- 7 functions:
 - Spray device
 - Steam jet function
 - Vertical steam
- Dry function (steam can be switched off
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 23 steam nozzles
- 3-level steam control (0-1-2)
- Transparent water container (approx. 150 ml)
- Cable feed via 360° turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50/60 Hz, 1800 W max.
- WxHxD approx. 110 x 140 x 265 mm



Incl. switchable selfcleaning function



Art. no. 650 280


N 4 004 470 502 800

PU 3









PU 6









Steam iron DB 6004 CB

- Special stainless steel soleplate
- 7 functions:
- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 34 steam nozzles
- 3-level steam control (0-1-2)
- Transparent water container (approx. 250 ml)
- Cable feed via 360° turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50/60 Hz, 2200 W max.
- WxHxD approx. 110 x 140 x 285 mm

Steam iron **DB 784 CB**

- Special stainless steel soleplate
- 7 functions:
- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Stepless steam regulation
- Transparent water container (approx. 360 ml)
- Cable feed via 360° turnable joint
- Indicator light
- 220–240 V, 50/60 Hz, 2500 W max.
- WxHxD approx. 115 x 150 x 290 mm



Incl. switchable selfcleaning function



4 004 470 600 414



Incl. switchable selfcleaning function





















Steam iron DB 6035 CB

50

Ceramic

- Scratch-resistant ceramic soleplate with outstanding sliding behaviour
- 7 functions:
 - Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 25 steam nozzles
- 3-level steam control (0-1-2)
- Transparent water container (approx. 250 ml)
- Cable feed via flexible turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50-60 Hz, 2200 W max.
- WxHxD approx. 115 x 150 x 290 mm



Scratch-resistant and smooth-running ceramic soleplate



Incl. switchable self-cleaning function

Steam iron DB 6005 CB

- Scratch-resistant ceramic soleplate with outstanding sliding behaviour
- 7 functions:
 - Spray device
 - Steam jet function
 - Vertical steam
 - Dry function (steam can be switched off)
 - Self-cleaning function (switchable)
 - Anti-drip function
 - Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 40 steam nozzles
- 4-level steam control (0-1-2-3)
- Transparent water container (approx. 350 ml)
- Soft touch controls
- Rubberized handle for non-slip handling
- Cable feed via 360° turnable joint
- Indicator light
- Accessories: measuring cup
- 220–240 V, 50/60 Hz, 2600 W max.
- WxHxD approx. 125 x 145 x 300 mm



Scratch-resistant and smooth-running ceramic soleplate

Art. no. 660 051



Incl. switchable self-cleaning function



AN 4 004 470 603 514

PU 6













Cordless steam iron **DB 6006 CB**

- Scratch-resistant ceramic soleplate with outstanding sliding behaviour
- Cordless ironing without interfering cable

Cordless

■ 7 functions:

Ceramic

- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 56 steam nozzles
- 4-level steam control (0-1-2-3)
- Transparent water container (approx. 350 ml)
- Secure stand due to rubberized feet
- Flexible cable feed
- Indicator light
- 220-240 V, 50/60 Hz, 2400 W max.
- WxHxD approx. 145 x 175 x 340 mm



Scratch-resistant ceramic soleplate




Incl. switchable and smooth-running self-cleaning function



2 in 1 – also to use cordless

Steam iron DB 6038 CB

- Scratch-resistant ceramic soleplate with outstanding sliding behaviour
- LED handle illumination / ready indicator
- 7 functions:
 - Spray device
 - Steam jet function
 - Vertical steam
 - Dry function (steam can be switched off)
 - Self-cleaning function (switchable)
 - Anti-drip function
 - Anti-calc filter system
- Stepless temperature control
- 3D ceramic sole
- Professional steam distribution
- 20 steam nozzles
- Scratch-resistant Superglide ceramic coating
- Tail-tapered reverse ironing function
- 3-level steam control (0-1-2)
- Transparent water container (approx. 400 ml)
- Cable feed via 360° turnable joint
- Accessories: measuring cup
- 220–240 V, 50/60 Hz, 2800 W max.
- Wx Hx D approx. 120 x 155 x 315 mm



3D ceramic soleplate: Professional steam distribulincl. switchable tion, 20 steam nozzles, scratch-resistant Superglide self-cleaning function ceramic coating, tail-tapered reverse ironing function





4 004 470 600 520







Art. no. 660 381





2400 Watt max.







52

Steam ironing station DBS 6034 CB

- Scratch-resistant and smooth-running "Superglide" ceramic soleplate with excellent sliding properties
- 3.5 bar steam pressure with constant high steam output (max. 90 g/min.)
- Uniform steam distribution through 11 steam nozzles
- Horizontal and vertical steam function
- Removable water tank (1.2 litres capacity), in case of average operation sufficient for up to 80 minutes
- Electronic anti-drip system
- Indicator light
- Stepless temperature control
- Extra large rest plate to provide the iron with a stable rest
- Transport safety device (lockable)
- Extra long connection cable
- Cord storage compartment
- 220-240 V, 50/60 Hz, 2400 W max.
- WxHxD approx. 175 x 265 x 365 mm



Scratch-resistant and smooth-running "Superglide" ceramic soleplate



Removable water tank (1.2 litres capacity)



Cord storage compartment



Transport safety device (lockable)



4 006 160 603 422







BOMANN®





Also suitable for beginners / newcomers



- High quality free arm sewing machine with 12 stitch selection
- 2-step buttonhole system suitable for sewing buttonholes
- Double revolving horizontal hook reliable drop-in technique
- Ideal for beginners / newcomers
- Easy stitch selection with preset stitch widths and lengths
- Forward & backward sewing function
- Practical carrying handle
- Operation also by foot pedal
- 2 speed settings
- Integrated thread cutter
- Automatic bobbin winder
- Glare-free LED work light
- Alternative battery operation without power supply possible for flexible working at different locations or for travelling
- Battery operation: 4x 1.5 V AA (battery not included) DC6V 1200mA
- Non-slip rubber feet
- Practical accessory drawer
- Accessories: 1x spare needle, 2x upper yarn bobbin, 2x lower yarn bobbin (wound bobbins), 1x threader
- 220-240 V, 50-60 Hz, 7.2 W
- WxHxD approx. 300 x 270 x 130 mm




Alternative battery operation possible Practical accessory drawer without power supply





12 built-in basic stitch programmes

......



4 004 470 606 300











- With 3 rechargeable NiMh batteries
- Crevice nozzle, brush nozzle
- Permanent dust filter (washable)
- Charge indicator light (LED)
- Charger mains adapter
- Foot/wall mounting (installation materials supplied)
- Charger mains adapter: 100–240 V, 50/60 Hz
- Rechargeable battery: 3.6 V, 1400 mAh (rechargeable battery: 1x nickel metal hydride, 101.15 g)
- WxHxD approx. 100 x 130 x 310 mm





Battery wet/dry vacuum cleaner AKS 960 CB

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with 3 rechargeable batteries
- Permanent dust filter (washable)
- Charge indicator light (LED)
- Charger mains adapter
- Accessories: crevice nozzle, attachment for wet vacuuming, wall mounting
- Charger mains adapter: 100–240 V, 50/60 Hz
- Rechargeable battery: 3.6 V, 1400 mAh (rechargeable battery: 1x nickel metal hydride, 109.00 g)
- WxHxD approx. 110 x 130 x 380 mm



Art. no. 609 670 EAN

 ϵ

4 004 470 096 705











PU₆













Battery vacuum cleaner AKS 713 CB

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with 10 rechargeable batteries
- Permanent dust filter (washable)
- Charge indicator light (LED)
- 12 Volt and battery operation possible
- Direct drive function: with fully discharged battery, the battery vacuum cleaner can be used immediately in 12 Volt operation
- Cord storage
- Accessories: 2x crevice nozzle (1x 13 cm, 1x 26 cm), attachment for wet vacuuming, brush attachment, 12 Volt adapter cord
- Charger mains adapter: 100–240 V, 50/60 Hz
- Rechargeable battery: 12 V / Battery (NiMh), 1400 mAh (rechargeable battery: 1x nickel metal hydride, 345.62 g)
- WxHxD approx. 125 x 130 x 400 mm

Hand vacuum cleaner **CB 947**

- Hand vacuum cleaner for vacuuming of e.g. furniture, upholstery, frames, curtains, books, computers, cars and much more
- Compact size: 24 x 12 x 15 cm
- Permanent dust filter (easy to clean)
- Large operation range (6 m connection cable)
- Low weight
- Vertical storage (space-saving)
- Accessories: flexible "vacuum snout" with crevice nozzle, small and large brush, shoulder strap
- 220-240 V~, 50/60 Hz, 700 W max.
- WxHxD approx. 110 x 185 x 360 mm






360° brush attachment





Extra-long crevice nozzles, for example, for use in













4 004 470 094 701







With one click from the vacuum cleaner to the hand vacuum cleaner



Practical wall mount incl. charging station and accessory holder







Incl. 3 additional nozzles










Battery floor vacuum cleaner BS 6027 A CB



- Eco-Cyclon twin spin battery hand and floor vacuum cleaner with 18.5 V lithium ion battery (2200 mAh)
 - Electrically rotating floor brush
 - Incl. extra long crevice nozzle (25 cm)
 - Incl. rotatable brush nozzle (90°)
 - Incl. mini special nozzle
- Suitable for all surfaces
- Electronic overcharge protection
- From floor vacuum cleaner to hand vacuum cleaner with one click, suitable for vacuuming of e.g. furniture, cushions, drapes, books, car seats
- Bagless filter technology easy emptying by touch of a button + no need to buy expensive replacement vacuum cleaner bags later
- HEPA filter (High efficiency particulate air filter)
- Battery running time up to 20 minutes
- Battery charging time approx. 5 hours
- Aluminium suction tube
- Electronic power adjustment (2-steps)
- Integrated economy mode for longer battery life
- 4-step LED battery level indicator
- Optimum mobility with the double pivot that can be rotated up to 180°
- Practical wall mount incl. charging station and accessories holder
- Accessories: crevice nozzle, brush nozzle, mini special nozzle, wall mount
- 220-240 V, 50/60 Hz, 18.5 V / rechargeable battery (Li-lon), 2200 mAh (rechargeable battery: 1x lithium-ion, 222.50 g)
- WxHxD approx. 335 x 225 x 120 mm

Turbo Rotation

EXTRA SUCTION POWER through electrically rotating floor brush















Incl. brush attachment



Incl. crevice nozzle








Floor vacuum cleaner BS 1948 CB N

- 2 in 1 Floor and hand vacuum cleaner
- Eco-Cyclon twin spin hand and floor vacuum cleaner with energy-saving 600 watt
 - Switchable floor brush
 - Incl. brush attachment
 - Incl. crevice nozzle
- Also suitable as hand vacuum cleaner for vacuuming of e.g. furniture, cushions, drapes, books, car seats
- Microfilter system
- HEPA filter (High efficiency particulate air filter)
- Two part aluminium tube (35–75 cm)
- Big operating range (6.5 m connection cable) problem-free access to stairs and corners
- Maneuverable and of easy application thanks to its light weight
- Incl. wall mount for space-saving storage
- Accessories: brush attachment, crevice nozzle, wall mount
- 220-240 V, 50/60 Hz, 600 W
- WxHxD approx. 230 x 1300 x 130 mm (with suction tube)




Incl. floor brush (switchable)



Art. no. 619 483 4 004 470 194 838 PU 2 PU 2













Floor vacuum cleaner BS 9019 CB N

- Floor vacuum cleaner with energy-saving 700 watt
- 5-fold microfilter system
- Stainless steel telescopic tube
- Switchable floor brush
- Dust bag change indicator
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50-60 Hz, 700 W
- WxHxD approx. 256 x 205 x 310 mm

Floor vacuum cleaner BS 9027 CB N

- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 watt
- Constantly high suction power by bagless cyclon twin spin technology
- Electronic power adjustment
- 4-fold filter system
- HEPA filter (High efficiency particulate air filter)
- Stainless steel telescopic tube (approx. 92 cm lenght)
- Extra-large operation range (approx. 8.30 m)
- Switchable floor brush
- Incl. parquet brush
- Rubberized rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50-60 Hz, 700 W
- WxHxD approx. 275 x 340 x 436 mm



Incl. floor brush (switchable)



2-fold accessories: combined brush/crevice nozzle




2-fold accessories: combined brush/crevice pozzle



Incl. parquet brush

......



EAN 4 004 470 901 955 Art. no. 660 111

4 004 470 601 114


1 955 PU 1

PU 1

















Floor vacuum cleaner BS 3000 CB

- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 watt
- Bagless filter technology
- 4-fold microfilter system
- HEPA filter (High efficiency particulate air filter)
- Metal telescopic tube
- Switchable floor brush
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 340 x 250 x 270 mm

Wet/dry vacuum cleaner BS 6058 CB

- High-quality stainless steel housing
- Large and comfortable wet and dry vacuum cleaner with powerful 1200 watt
- Tank capacity: approx. 20 litres
- Powerful cleaning and suction power
 - Moisture (e.g. spilled liquids, wet potting soil)
 - Coarse dirt (e.g. leaves, broken glass, wood chips)
 - Dirt (e.g. dust on carpets or in the car)
- Incl. blower function (e.g. for easy removal of leaves)
- 3-part suction tube: variable working length from 32.0 to 92.5 cm
- 4 smooth-running castors (360°) allow flexible working
- Approx. 5 m cable for a large operating radius
- Splash-proof motor housing
- Motor/overflow protection by float valve
- Washable permanent filters
- Practical accessories holder on the unit for ready-to-hand and organized accessories
- Accessories: brush/crevice attachment, wet/dry brush, 3-part suction tube, washable permanent filters
- 220-240 V, 50/60 Hz, 1200 W
- Wx Hx D approx. 400 x 505 x 400 mm



2-fold accessories: combined brush/crevice nozzle



Wet vacuuming (e.g. spilled liquids)



Dry vacuuming (e.g. of dirt in the car)



Blower function (e.g. for easy removal of leaves)



Art. no. 630 003

4 004 470 638 219 Art. no. 630 002 4 004 470 638 202

PU₁

PU 1





Art. no. 660 581 4 004 470 605 815











Shampoo vacuum cleaner BSS 6000 CB

- Comfortable shampoo vacuum cleaner with powerful 1200 watt
- Cleans away larger dirt just as effectively as fluids
- Comes with separate removable tank for cleaning agent (4 litres)
- Spray extraction for even & large-scale spreading of the cleaning agent
- Perfect stability thanks to four pulleys
- 2 pulleys (360°) allow for easy and flexible cleaning
- 2-piece stainless steel tube
- Big, sturdy carrying handle
- Dual filter system
- Practical accessory holder for ready-to-hand and organized accessories
- Comes with drain appliance to discharge absorbed fluids
- Blower function, e.g. to remove leaves easily
- For easy and thorough cleaning of fabrics, areas, and hard floors (e.g. stone, tiles, linoleum)
- For deep-cleaning of upholstery and rugs
- Accessories: crevice nozzle, parquet brush, large suction nozzle (e.g. to clean carpet floors, tiles) small suction nozzle (e.g. to clean upholstery)
- Tank volume (wet cleaning operation): 20 litres
- Cleaning container volume: 4 litres
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 370 x 500 x 430 mm



Large tank volume (approx. 20 litres)



Shampoo tank (approx. 4 litres)



Shampoo vacuum cleaner



Wet/dry vacuum cleaner



Upholstery vacuum cleaner



60







Glass bathroom scale PW 1417 CB

- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (in 100 g steps)
- Low-maintenance standing surface
- Secure stand due to anti-slip feet
- Automatic shutdown increases battery life
- Battery operation: 1x CR 2032 (battery included) (Battery: 1x lithium, 2.80 g)
- WxHxD approx. 300 x 25 x 300 mm

Foot massager FM 8000 CB

- Intense whirlpool effect
- Massage burls for stimulating the foot reflex zones
- Additional massage roller (removable) for selective foot reflex zone massage
- Heated footrest
- 4-level switches:
 - -0 = off
 - -1 = massage
- -2 = warm/whirl
- 3 = warm/whirl/massage
- Can be used with and without water
- Splash guard (detachable)
- Water level mark
- Spout
- Large, rubberized feet for non-slip standing
- 230 V, 50 Hz, 90 W
- WxHxD approx. 300 x 120 x 380 mm



Art. no. 680 000



CE

Art. no. 614 171 4 004 470 141 719















1 round brush (15 mm Ø)

(25 mm Ø)



Hair trimmer set HSM 8007 NE CB

Hair and beard trimmer:

- Stainless steel precision shaving head for uniform haircut
- Stainless steel blade
- Stepless cutting lenght adjustment for efficient use of the comb attachments
- Comb attachments for 4 cutting lenghts: 3, 6, 9, 12 mm
- Soft touch handle insert for safe handling
- Accessories: 4 comb attachments, styling comb, cleaning brush, shaving head protection, hanging loop
- 230-240 V, 50 Hz, 9 W
- WxHxD approx. 65 x 200 x 55 mm

Nose and ear hair remover:

- Conveniently and simply removes troublesome hairs in the nose and ears
- Stainless steel shaving head removable for easy cleaning
- Incl. covering cap for shaving head
- Battery operation: 1x 1.5 V (AA) (battery not included)
- WxHxD approx. 30 x 130 x 30 mm

Hot air curling brush HAS 8101 CB


- Hot air curling brush for even and gentle heat distribution
- 3 exchangeable brush attachments with smooth bristles for hair-friendly styling:
 - 1 volume brush
 - 2 round brushes individual for all hair lengths and requirements (15 mm Ø and 25 mm Ø)
- 2 temperature-/power settings
- Cold setting for style fix and hairstyle finish
- Ergonomically shaped handle
- Cable feed via 360° turnable joint
- Overheating protection
- Hanging loop
- **230 V, 50/60 Hz, 600 W**
- WxHxD approx. 365 x 50 x 50 mm





4 004 470 800 715







BOMANN®



- Compact travelling hair dryer
- 2 temperature/power settings
- Shaping nozzle 360° rotatable (removable)
- Rubber profile on the casing avoid slipping
- Overheating protection
- Hanging loop
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 111 x 210 x 75 mm

Hair dryer HTD 8005 CB

- Compact travelling hair dryer
- Folding handle
- 2 temperature/power settings
- Shaping nozzle 360° rotatable (removable)
- Soft touch housing
- Incl. volume diffuser
- Incl. see-through bag for practical storage and when
- Switchable voltage: 110/230 V
- Hanging loop
- 110/230 V, 50/60 Hz, 1100-1200 W
- WxHxD approx. 170 x 235 x 75 mm

(€

Art. no. Nr. EAN 400



680 056



Ø 23 cm



Professional hair dryer HTD 889 CB

- Professional hair dryer with 2000 watt max.
- 3 temperature/power settings
- 2 blower stages
- Cool Shot

64

- Professional volume diffuser and shaping nozzle
- Air intake filter (removable)
- Rubberized housing for non-slip storage
- Soft touch handle
- Overheating protection
- Hanging loop
- 220-240 V, 50/60 Hz, 1800-2000 W
- WxHxD approx. 270 x 270 x 90 mm

Table fan VL 1137 CB

- Oscillating (switchable swivel function)
- Adjustable angle of inclination
- Metal protection grid
- Secure stand
- Ø approx. 23 cm
- 2 speed levels
- 3-level switches (0/1/2)
- Practical carrying handle
- 220-240 V, 50-60 Hz, 30 W
- WxHxD approx. 275 x 375 x 220 mm



Art. no. 611 370



3-level switches

Oscillating



 ϵ

Art. no. 608 891 4 004 470 088 915

4 004470 088915









BOMANN



Air conditioning unit CL 6061 CB

- Cooling capacity: 7000 BTU (2.0 kW)
- Coolant: R 290
- Air recirculation: up to 380 m³/h
- 3 functions: cooling, dehumidifying, ventilating
- Energy efficiency class A
- Filter (removable)
- Adjustable air flaps for desired air flow (vertical + horizontal)
- Sensor touch control panel
 - 24 hour timer
 - Fan with 2 speed levels
 - LED display
 - 3 in 1 cooling, dehumidifying, ventilating
- Condensation water recycling system (condensate is used to cool the evaporator. As a result, the residual water tank requires less frequent emptying)
- 4 smooth-running rollers for easy transport
- Infrared remote control (incl. battery)
- Incl. 1.5 m exhaust hose and window kit
- 220–240 V, 50 Hz, 792 W (Battery: 1x zinc carbon, 7.10 g)
- WxHxD approx. 305 x 678 x 328 mm






















Our INVERTER SPLIT AIR-CONDITIONER



QUICK CONNECTOR™

Quick connector for an easy, quick and clean installation

(except CL 6044 CB)



IONIZER

Improves the indoor climate and increases well-being through air ionization

(except CL 6044 CB)



INVERTER TECHNOLOGY

Innovative and energy-saving technology ensures low power consumption and efficient cooling



QUIET AS A WHISPER

The noise level can be reduced by lowering the fan speed or activating the sleep mode



SELF-DIAGNOSIS

Errors are automatically detected and shown on the display of the indoor unit. Automatic circuit breaker is activated



LED DISPLAY

Easy to read and bright LED display with minimal power consumption



ACTIVE CARBON FILTER

The additional filter ensures a healthier indoor climate and filters suspended particulate matter from the air



MOLD-RESISTANT

Post-drying in standby mode to prevent the formation of harmful bacteria and mold



DEHUMIDIFICATION

Perfect for dehumidification without creating a large temperature difference



AUTO RESTART

The selected program is resumed after switching the unit on again or following a power failure



TIMER

Adjustable 24 hour mode for automatically switching the unit on and off after the desired time



SELF-CLEANING FUNCTION

Removes disturbing fragrances, legionella, germs, impurities, etc. Consistent and high efficiency of the air conditioner

9000 BTU

QUICK CONNECT





All data at a glance:

3			
Work area (heating)	up to –15°C (outdoor unit)		
Work area (cooling)	+16°C to +31°C		
Area of application	Living area		
Dehumidification capacity	approx. 19.2 l/day		
Suitable for	Server rooms		
Sound pressure indoors	min. 22 dB(A)		
Sound pressure outdoors	50 dB(A)		
Sound power level indoors	50 dB(A)		
Sound power level outdoors	60 dB(A)		
Heating power	2,1 kW		
Cooling capacity	9000 BTU / 2,6 kW		
Coolant	R 32		
Refrigerant pipe length	5 m		
Max. airflow rate	420 m³/h indoors		
Room size	26 m ²		
Energy efficiency class	A++ / A+		

Inverter split air-conditioner CL 6045 QC CB


- 4 in 1 Inverter split air-conditioner consisting of an outdoor and indoor unit (connection via a refrigerant pipe) incl. heat pump
- Cooling, heating, ventilating, dehumidifying
- Easy installation, 5 m refrigerant pipe included
- Quick connection quick and easy installation of the system by means of "Plug & Play" coupling connectors
- System self-diagnosis
- Auto-restart
- Suitable for rooms up to 26 m²
- All-season product for cooling or heating via heat pump technology at outside temperatures of up to 15°C below zero
- Regulation and control of the temperature set is maintained via the interaction of the inverter air-conditioning unit's intelligent electronics with its heat pump technology – effective, low-noise and energy-saving
- WiFi control convenient operation at home via WiFi¹) or via mobile data while on the move
- VOICE CONTROL via AMAZON ALEXA + GOOGLE ASSISTANT²)
- App control via Smartphone and tablet PC³) via free download of the corresponding app⁴) from the □ App store □
- Additional app features:
 - Programmable timer (to the minute)
- Sleep mode
- Fan speed
- Smart features
- Multifunction control panel (remote control):
- 24 hour timer
- Sleep function
- Fan with 3 speed levels
- Automatic swing function for optimal cooling
- LED display (temperature and timer)
- ECO function
- 4 in 1 cooling, heating, ventilating, dehumidifying
- HIDDEN DISPLAY not visible when switched-off (indoor unit)
- Filter (removable for easy cleaning)
- Cooling capacity: 9000 BTU / 2,6 kW
- Coolant: R 32

- Air recirculation: up to 420 m³/h (indoors)
- Sound level: 22 dB(A) (indoors); 50 db(A) (outdoors)
- Self-cleaning function:
- Removes disturbing fragrances, legionella, germs, impurities, etc.
- Efficiency of the air-conditioner remains consistent and on a high level
- Incl. active carbon filter
- Energy efficiency class A++ (in cooling mode)
- Energy efficiency class A+ (in heating mode)
- Infrared multifunction remote control with convenient multifunction LED display (incl. battery)
- Delivery contents: 1 outdoor unit, 1 indoor unit,
 5 m refrigerant pipe, 1.5 m power cable, infrared multifunction remote control, vinyl tape, hole cover, condensation water hose, mounting material (indoor unit)
- 220–240 V, 50 Hz, 1552 W max. (Battery: 1x zinc carbon, 7.37 g)
- WxHxD:
- Indoor unit: approx. 698 x 255 x 190 mm Outdoor unit: approx. 777 x 498 x 290 mm
- ¹) 2.4 GHz WLAN (the 5 GHz standard is unsupported)
- ²) Other services available
- 3) Smartphone and tablet pc not included
- ⁴) Apple system requirements: iOS 8.0 or higher; Android system requirements: Android 4.4 or higher











Please note: The cooling unit contains fluorinated greenhouse gases in hermetically sealed installations. Sale to end users is only permitted if proof of installation by a company certified in accordance with Art. 10 of EU Regulation 517/2014 is provided.



12 volt connector



230 volt connector







Cool boy

Cool box KB 6011 CB N

- Perfect for camping, travel and shopping
- Capacity (gross capacity): 25 litres max.
- For all standard 0.75 / 1.0 / 1.5 / 2.0 litres bottles
- Uniform cooling due to integrated fan
- Cooled up to 18 °C max. below ambient temperature
- Powerful, maintenance-free Peltier cooling system
- Energy saving function (ECO SAVE)
- Double-walled plastic casing with high-quality isolation
- Special sealing rubber in the lid reduces condensation
- Foldable handle
- Removable lid
- Cable storage compartment
- Accessory: 12 volt connecting cable for car operation, 230 volt connecting cable
- Power supply:
 - Mains adapter connection: DC 12 V, 45 W
 - Mains adapter connection: AC 220–240 V~, 50/60 Hz, 55 W, 8.5 W (ECO mode)
- WxHxD approx. 345 x 490 x 235 mm



For all standard 0.75 / 1.0 / 1.5 / 2.0 litres bottles



Cord storage compartment



Art. no. 660 103

AN 4 004 470 601 039







BOMANN®



12 volt connector



230 volt connector



.....





Cool box KB 6012 CB N

- Perfect for camping, travel and shopping
- Suitable for cooling and warming
- Capacity (gross capacity): 30 litres max.
- For all standard 0.75 / 1.0 / 1.5 litres bottles
- Uniform cooling due to integrated fan
- Cooled up to 18 °C max. below ambient temperature
- Powerful, maintenance-free Peltier cooling/heating system
- Energy saving function (ECO Save)
- Rugged, double-walled plastic casing with high-quality isolation
- Special sealing rubber in the lid reduces condensation
- Foldable handle
- Removable lid
- Accessory: 12 volt connecting cable for car operation, 230 volt connecting cable
- Power supply:
 - Mains adapter connection: DC 12 V, 45/40 W
- Mains adapter connection: AC 220-240 V~, 50/60 Hz, 55/50 W, 8.5 W (ECO mode)
- WxHxD approx. 400 x 435 x 295 mm



For all standard 0.75 / 1.0 / 1.5 litres bottles





AN 4 004 470 601 046











Fan heater HL 1095 CB

70

- Mobile, compact fan heater
- 2 heat settings (1000/2000 watt)
- Incl. cold stage (fan function)
- Continuously adjustable thermostat
- Indicator light
- 2 different ways of setting up
- Secure stand
- Sturdy carrying handle
- High safety through overheating protection
- 220–240 V, 50 Hz, 2000 W
- WxHxD approx. 120 x 248 x 250 mm

"This product is only suitable for well isolated rooms or for occasional use."

Fan heater HL 6040 CB

- Mobile, compact fan heater
- 2 heat settings (1000/2000 watt)
- Incl. cold stage (fan function)
- Continuously adjustable thermostat
- Indicator light
- Secure stand
- Sturdy carrying handle
- High safety through overheating protection
- Safety contact switch for fire protection
- 220-240 V, 50-60 Hz, 2000 W
- WxHxD approx. 190 x 250 x 130 mm

"This product is only suitable for well isolated rooms or for occasional use."





2 different ways of setting up



4 004 470 109 504









Art. no. 660 401







- Mobile, compact fan heater
- 2 heat settings (1000/2000 watt)
- Oscillating (switchable swivel function)
- Incl. cold stage (fan function)Continuously adjustable thermostat
- Indicator light
- Secure stand
- Sturdy carrying handleHigh safety through overheating protection
- Safety contact switch for fire protection
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 200 x 302 x 130 mm

"This product is only suitable for well isolated rooms or for occasional use."



Oscillating (switchable swivel function)











Dust bags



You will find other accessory articles under www.bomann.de

Bomann Swirl Vacuum cleaners Article no. EAN no. type type BS 989 CB / BS 9014 CB / BS 9019 CB Y 98 282 047 CB 991 4006160820478 SSB 101 Y 05 BS 9010 CB / BS 9011 CB / BS 9015 CB / BS 9020 CB 282 047 4006160820478 SSB 101 _



Vacuum cleaners	Article no.	EAN no.	Bomann type
BS 9018 CB	890 0753	4006160007534	Filterset BS 1294
BS 9019 CB	891 3005	_	Filterset BS 1300
BS 9020 CB	891 3014	_	Filterset BS 1301
BS 9027 CB	891 3020	4006160638066	Filterset BS 1302







Replacement cartridges



Replacement bottle/ Replacemant jars

Replacement jars for Replacement cartridges for Yoghurt-Maker JM 1025 CB **DBS 778 CB, DBS 783 CB**

PU 4

Art. no. 8 934 610

4006 160 632 583 EAN

Spare rolls for

Spare rolls for bag sealer

FS 1014 CB

Art. no.: 8 900 216

PU 3

EAN 4 006 160 900 217 PU 10

Replacement cartridges for DBS 792 CB, DBS 1793

Art. no. 8 936 110

EAN 4006 160 632 606 PU₃

Replacement balloons

4006 160 511 253

Replacement balloons HBB 6025 CB

Art. no. 263 869

Art. no. 251 125

EAN

EAN 4 006 160 638 691 PU 1

DTES	



Headquarter



Logistic Center (approx. 100.000 m²)





Company presentation



Catalogue download as PDF

BOMANN[®]

C. Bomann GmbH

Industriering Ost 40 47906 Kempen Germany

Telephone: +49 2152 8998-0 Telefax: +49 2152 8998-911

mail@bomann.de www.bomann-germany.de